

2600

GENE W. ARANT
REGISTERED PATENT ATTORNEY
Member California State Bar

Salishan Professional Offices, Suite A-7
Post Office Box 0269
Lincoln City, OR 97367-0269 USA

TEL: (541) 764-3300
FAX: (541) 764-3308
gwapat@wcn.net

Commissioner for Patents
Washington, D.C. 20231


RECEIVED
FEB 11 2003
Technology Center 2600

Re: Serial No. 10/052,289
Filing Date: 01/18/2002
ELECTRONIC METHOD AND APPARATUS FOR
DETECTING AND REPORTING DISLOCATION OF HEAVY MINING
EQUIPMENT

Dear Sir:

This letter authorizes Quinn Patent Drawing Service to file formal drawings in the above referenced application on behalf of the applicant.

Sincerely,


Gene W. Arant
Attorney for the Applicant
Reg. #17,936

Date 24 May 2002

RECEIVED

JUL 03 2002

Office of Patent Publication
Director's Office



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/052,289	01/18/2002	Kraig M. Lujan	0287

33306
GENE W. ARANT
P.O. BOX 269
LINCOLN CITY, OR 97367-0269

RECEIVED

FEB 11 2003

Technology Center 2600

CONFIRMATION NO. 4831

FORMALITIES LETTER

OC00000008498051

Date Mailed: 07/23/2002

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on 07/08/2002 to the Notice to File Missing Parts (Notice) mailed 05/08/2002 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice **MUST** be returned with the reply.

Request w/ L. Reyes
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY

RECEIVED
JUL 30 2002
Office of Patent Publication
Director's Office